

BROADCAST-Common seasonal virus, RSV, hitting earlier

A return to school and daycare has medical clinics being flooded with cases of a highly contagious virus that usually isn't seen until later in the fall and winter.

Respiratory syncytial virus, otherwise known as RSV, is hitting at the same time health leaders are worried about the flu and COVID-19. Children usually contract the highly contagious RSV before the age of 2 and it's the leading cause of kids needing to be hospitalized.

There have been more than 125 cases of RSV seen in OSF clinics in the past month with some requiring hospitalization. **Mara Bessine (buh-SEEN)**, an advanced practice registered nurse for OSF HealthCare and other medical providers believe it is resulting from people resuming in-person gatherings.

“We're getting out more. We're returning to day cares we're returning to school and all those things we were doing to prevent COVID, we've gotten a little lax on. We have returned to normal activities which has led to increased exposure to viruses of all kinds, which includes RSV.” (:19)

RSV usually produces symptoms of a common cold: stuffy or runny nose, sore throat, headache, cough and sometimes fever. However, RSV can be much more serious in young children, especially premature babies, and kids with diseases that affect the heart, lungs or immune system. Parents should seek immediate emergency care if their child's skin, mouth or fingernails are blue or they have problems breathing.

“If you see your child having difficulty breathing, or labored breathing, or shallow or rapid (breathing), those are signs you need to get your child to the emergency room.” (:09)

For at-home care, Bessine recommends using saline drops and removing sticky nasal fluids with a bulb syringe, using a cool-mist vaporizer to keep the air moist, providing fluids in small amounts frequently through the day and giving non-aspirin fever-reducers such as acetaminophen.

The symptoms of RSV are similar to those of COVID-19, and the only way to confirm a diagnosis is through testing with a nasal swab and a majority of kids tested for both have RSV. But, Bessine has already seen a few babies and children with *both* RSV and COVID-19.

“They have fared well, but it's something to be aware of – that you can catch both of them right now with them both going around. So for young children, that's a high risk for them to catch one, let alone both. This is where (we stress) the importance of hand hygiene, wearing masks if they're at the age where they can, keeping away from crowds is very, very important.” (:22)

Some adults face serious health consequences if they contract RSV, including those over 65, especially if they have a chronic heart or lung disease and those with weakened immune systems.

There is no vaccine or easy, effective treatment for RSV though researchers are working on developing both. Bessine says it's really important for anyone with RSV to keep hydrated.

“The more fluids the better so that we can get the secretions out and that the mucus secretions are thinner and easier to manage. So, both for adults and young children, you have to watch for dehydration and that is a reason to get them to the hospital for IV fluids if we find they're getting severely dehydrated.” (:18)

For parents, it's important to wash toys which can harbor RSV. It's especially important to keep children home from day care or school when they or other children become ill. For children at high risk, limit their time at child care centers or gatherings with a large number of kids.